

CHLORINE TABLETS

DESCRIPTION

CHLORINE TABLETS contain an active ingredient of 70% calcium hypochlorite. They dissolve slowly and release available chlorine uniformly over a period of time, avoiding the trouble of repeated application. Have a slightly alkaline reaction with water.

CHLORINE TABLETS contain an oxidation agent and will evolve free chlorine in acid solution.

APPLICATION

CHLORINE TABLETS are used as a disinfectant of supply water and treatment of sewage systems.

TREATMENT OF SEWAGE SYSTEMS

To treat sanitation system, the tablet is added into the system to maintain residual chlorine of between 10 to 20 PPM.

CHLORINE TABLETS 200 gr.

(Sanuril 115 or Hichlor type / Trichlorineisocianuric Acid 90%)

For chlorinating swimming pools, sewage and waste water.

Standard tablet size: 75 mm diameter - 25 mm H.

For swimming pool water treatment: 4 large tablets every 100 m³ of water to be put in skimmers or in floating trays.

For wastewater treatment, fill the chlorinating pipes until 2 to 5 PPM of residual active chlorine is obtained. If below 2 PPM, use both chlorinating pipes.

DISINFECTION OF WATER SYSTEMS

To disinfect reservoir water, tablet is added into the water to maintain residual chlorine of between 0.2 to 0.5 PPM. Initial recommended dosage should be 1 to 2 tablets per 4.5 ton of water.

Recommended dosage is listed in the table below.

Dosage Table	
Tons of water	No. of tablets
4	1 - 2
8	2 - 3
16	4 - 5
32	8 - 10
64	16 - 20

Chlorine residual can be measured by using a *CHLORINE TEST KIT*.

Continued on page 2

No. 16.1



CHLORINE TABLETS

Desinfectant for portable water system & sewage system

- Tablets dissolve slowly
- Releases available chlorine uniformly
- Easy to use

UNIClean

NATURE OF SPECIAL RISKS AND SAFETY ADVICE

In accordance with the latest EEC Council directives this product is not subjected to any recommendation.
Voluntary UNIMARINE recommendation:

- R8 : Contact with a flammable substance may cause fire
- R22 : Harmful if swallowed
- R31 : Contact with acids liberates toxic gas
- R34 : Causes burns
- R36/37/38 : Irritating to the eyes, respiratory system and to the skin
- S2 : Keep out of reach of children
- S23 : Do not breathe gas, fumes, vapor or spray
- S24/25 : Avoid contact with skin and eyes
- S26/28 : In case of contact with eyes or skin, rinse immediately with plenty of water for at least 15 minutes and seek medical advice
- S36/37/39 : Wear suitable protective clothing, gloves and eye / face protection
- S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label if possible)