1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCTNAME: ULTRASOON MULTI
PRODUCTTYPE: Industrial cleaning product

COMPANY : UNIMARINE SERVICES INC.

60 MARKET SQUARE

PO BOX 364 BELIZE CITY T +35725331054

info@unimarine-services.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

1. Sodium hydroxide 20 % CASnr: 1310-73-2

3. HAZARDS IDENTIFICATION

HUMAN HEALTH : Corrosive to eyes and skin

RISK: Corrosive R-35 Causes severe burns

CLASSIFICATION

ENVIRONMENTAL: Do not let down into the environment without thinning and neutralisation.

HAZARDS

4. FIRST AID MEASURES

INHALATION : Remove to fresh air. Keep the patient calm. Transport to a hospital.

SKIN : Take of contaminated clothing immediately. Wash the skin with large

amounts of water. Consult a physician.

EYE : Flush with large amounts of water. Seek medical advice.

INGESTION : Wash the mouth with water. Do **NOT** induce vomiting. Give 2 glasses of

water to drink. Transport to a hospital.

5. FIRE FIGHTING MEASURES

FLASH POINT : None

SPECIFIC HAZARDS: See under 9

EXTINGHUISING: No limitations. The product does not burn.

MEDIA

<u>6. ACCIDENTAL RELEASE MEASURES</u>

CLEANING UP : Absorb spills in sand, earth or other inert material. Dispose of the material

according to local regulations. Scrub contaminated surfaces with detergent

solution.

ENVIRONMENTAL: Prevent contamination of soil and water.

PRECAUTION Do not let down into the environment without thinning and neutralisation.

7. HANDLING AND STORAGE

HANDLING: Do not breathe vapours or mists. Use in well ventilated areas.

STORAGE : Keep in closed containers, in a dry place and frost free. Avoid contact with

acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

 $\mathbf{MAK} \qquad \qquad \mathbf{:} \qquad \qquad 2 \text{ mg/m}^3.$

:

PREVENTIVE MEASURES

Clean contaminated clothing before re-use. Use in well ventilated areas.

PERSONAL PROTECTIVE EQUIPMENT Wear suitable protective clothing, eye protection and chemical resistant

gloves. Wear breathing protection when spraying the product.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear liquid

ODOUR : Neutral

FLASH POINT : None

pH : > 13

BOILING POINT : $100 \, ^{\circ}\text{C}$

DENSITY (20°C) : 1.2 - 1.3

SOLUBILITY: Miscible with water, not miscible with organic solvents

10 STABILITY AND REACTIVITY

STABILITY: Stable min 2 years at ambient temperature if stored in closed container.

REACTIVITY: Avoid contact with acids and metals.

HAZARDOUS DECOMPOSITION

PRODUCTS

Thermal decomposition may yield the following:

Hydrogen.

MATERIAL SAFETY DATA SHEET UNICLEAN BELGIUM NV

11. TOXICOLOGICAL INFORMATION

Information given is based on a knowledge of the constituents and the toxicology of similar substances.

ORAL: Corrosive, stomach ache, diarrhoea, risk of perforation of the stomach.

SKIN CONTACT: Corrosive, redness, pain, severe burns.

EYE CONTACT: Corrosive, loss of sight, severe burns.

INHALATION : Corrosive, throat ache, coughing, short of breath.

12 ECOLOGICAL INFORMATION

Information given is based on a knowledge of the constituents and the toxicology of similar substances.

Raise of pH can disturb the biological equilibrium in the aquatic environment. Do not let down into the environment without thinning and neutralisation

13 DISPOSAL CONSIDERATIONS

Dispose of according to local regulations. Contaminated product is to be regarded as chemical waste.

14 TRANSPORT INFORMATION

 UN-number
 :
 1824

 ADR
 :
 8.42b)

 IMO
 :
 8/II

15 REGULATORY INFORMATION

EG 011-002-01-3 **SYMBOL** : Corrosive

R-PHRASES: 35

S-PHRASES : 37/39,2,26,27

16 OTHER INFORMATION

The information contained herein relates only to the specific material identified. Uniservice believes that such information is accurate and reliable as of the date of this material safety data sheet, but no representation, guarantee or warranty, express or implied, is made as to the accuracy, reliability, or completeness of the information. Uniservice urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application

31/01/2020